



**KINDLE**

**KINDLE**

**Guangdong Ecocampor Vehicle Co.,Ltd**

Tel : +86-757-81632928  
+86-757-81632929  
+86-757-81632939

Website : [www.ecocampor.com](http://www.ecocampor.com)

Address : No. 7, Huiying Road, Baini town, Sanshui District,  
Foshan City, Guangdong Province,China.

# COMPANY PROFILE

We have specialized in sheet metal fabrication for about 32 years. With more than 200 staff and a workshop covering an area of 10000 square meters, we currently reach a turnover of 50 million RMB annually and own lots of famous clients both at home and abroad.

With a wide range of advanced equipments, such as Trumpf Laser cutting Machine, OTC welding Robot, AMASA CNC Turret Punch and bending machine, as well as high-quality technicians, we ensure that our products have the highest possible standard.

Our products include electrical cabinet, toolbox, equipment enclosure, fireplace, display shelf, etc. Quality and credibility have always been the objective we pursue. We will surely continue to provide the best products and service to establish stable business relationship with clients from all over the world)

## KINDLE



## CONTENES

- ▶ KITCHEN
- ▶ METAL FLOWER POTS
- ▶ UTE CANOPY
- ▶ FRONT TOOLBOX
- ▶ DOG BOX
- ▶ SLIDE OUT DRAWER
- ▶ UNDER TRAY TOLLBOX
- ▶ NETWORK CABINET
- ▶ TOLL CHEST
- ▶ MACHINE

# MACHINE



## GFZD-003

### Automatic Traditional Chinese Medicine Granule Paste Machine

Pre-set paste program, intelligent control of paste process, convenient and efficient.

Boiler volume: 8liters  
Rated voltage: 220V/10A  
Rated power: 2400W  
Weight: 95KG



Length:700  
Width:500  
Height:1300



## GFSD-002A

### Semi-automatic Traditional Chinese Medicine Granule Paste Machine

Safe and stable-the entire process of making ointment is in a relatively closed environment. Each device must pass at least 120 hours of fatigue and sterility testing before it leaves the factory.

Boiler volume: 8liters  
Rated voltage: 220V/10A  
Rated power: 1600W  
Weight: 50KG



Length:630  
Width:480  
Height:1300



## BXGF-001

### Portable Traditional Chinese Medicine Granule Paste Machine

The unique design of the ointment container fully considers the complete use of traditional Chinese medicine particles, and there is no residue of the ointment raw.

Boiler volume: 5liters  
Rated voltage: 220V/10A  
Rated power:1000W  
Weight: 20KG



Length:450  
Width:300  
Height:350



## KR-DE-01

### Chinese medicine granule dispensing equipment

Modern and intelligent Chinese medicine pharmacy, improve the accuracy and convenience of dispensing, and meet the higher requirements of traditional Chinese medicine.

Host machine dimension: L1900\*W780\*H1320mm  
Medicine cabinet dimension: L1640\*W450\*H1900mm  
Weight: 220kg  
Voltage: 220V  
Power: 1.2KW



# BBQ SERIES



## KP-BBQ-02

### Charcoal Roast Spit with hood

With hood can protect the food from dust spoiling.

Round Rotisserie Skewer for easy rotating.

304 food grade stainless steel accessories, sturdy and safety.

- Type: Charcoal Roast Spit with cover
- 201 grade stainless steel construction.
- Metal thickness 1.2mm.
- Cooking Chamber: 52cm
- Grill Height when assembled: 70cm
- 304 food grade stainless steel accessories
- Viewing window in hood
- Temperature gauge-Stainless steel charcoal pan insert
- 30kg or 60kg rated motor
- Lockable wheels



Length:1280  
Width:1020  
Height:520



## KP-BBQ-03

### Charcoal Roast Spit without cover

The height can be adjustable in 3 levels.

The leg can be adjustable as a BBQ spit.

Large Capacity-Upper Level: spit roast: 60kg pig

- Type: Charcoal-201 grade stainless steel construction.
- Metal thickness 1.2mm.
- Drip pan size:140cm X 30cm X 10cm
- Drip pan material:cold rolled steel with black powder coating, metal thickness is 1.2mm
- 304 stainless steel grill mesh\*2pcs
- Rotisserie skewer:25\*25 #201s/s square profile bar.
- Heavy duty lockable castors & twin set wheels.
- legs and iron posts can be adjustable from 3 level.
- Max Weight for lamb or pig- 60kg
- G.W.: 100 kg N.W:79 kg
- 20GP/40GP: 24/72 pcs
- 201 stainless steel motor rack \*1pc
- The leg can be adjustable as a bbq spit.



Length:1500  
Width:560  
Height:350

# METAL FLOWER POTS



## KP-FL-01

### Metal flower pots

It is ideal to set up your favorite plants in. It has drainage holes that lets the excess water seep out instead of accumulating and damaging the plant.

Material : Pre-galvanized steel  
Finish:Raw/Powder Coating  
Carton dimension(L\*W\*H) : 1015\*415\*90mm



Length:1000  
Width:400  
Height:800



## KP-FL-03

### Rectangular Metal flower pots

Color design, especially for children. Come and enjoy growing vegetables and plants together.  
Colorful design

Material : Pre-galvanized steel  
Finish:Raw/Powder Coating  
Carton dimension(L\*W\*H) : 1015\*415\*90mm



Length:1000  
Width:400  
Height:650



## KP-FL-02

### Metal flower pots

It is made from good quality metal, which is durable. The square shaped planter is available in many finishes.

Material : Pre-galvanized steel  
Finish:Raw/Powder Coating  
Carton dimension(L\*W\*H) : 1015\*615\*90mm



Length:1000  
Width:600  
Height:800



## KP-FL-04

### Square Metal Flower Pots

They are solid, yet lightweight and are protected by a strong, scratch-resistant powder coat.

Material: Mild steel  
Finish: Raw/Powder Coating



Length:305  
Width:610  
Height:152



## K-TK-C01

### Stainless steel kitchen model C

This kitchen allows the user to re-arrange the sink, drawer & flip-out bench easily to suit different tailgate swing directions.

Material: 304 stainless steel  
 Thickness: 0.8mm  
 Drawer: 2  
 Sink: 1  
 Accessories: Sink Drain, Stainless Plug, Tap and holes  
 Gross weight: 35kg



Length: 1471  
 Width: 500  
 Height: 310



## K-TK-C03

### Slide Out Kitchen

It includes a fold-down lid with two drawers and locks, allowing you to switch from cooking, to an open counter conveniently and quickly, making this product ideal for a variety of tight cooking spaces.

Material: 304 stainless steel  
 Thickness: 1.0mm  
 Drawer: 2  
 Sink: 1  
 Accessories: Sink Drain, Stainless Plug, Tap and holes  
 Gross weight: 36kg



Length: 1300  
 Width: 500  
 Height: 300



## K-TK-C02


### Stainless steel kitchen

The kitchen has bench/shelf recessed threads on both sides ready to interchange the bench/shelf to either side by 4 simple screws.

Material: 304 stainless steel  
 Thickness: 0.8mm  
 Drawer: 2  
 Sink: 1  
 Accessories: Sink Drain, Stainless Plug, Tap and holes  
 Gross weight: 30kg



Length: 1510  
 Width: 500  
 Height: 310



## K-TK-C04

### Slide Out Kitchen

Not only does the Ecocampor Slide Out Kitchen save valuable space, but its easy to install on most RVs thanks to its simple installation method, the left & right hand Wing slide out kitchen takes cooking outdoors to new levels of convenience!

Material: 304 stainless steel  
 Thickness: 1.0mm  
 Drawer: 1  
 Sink: 1  
 Accessories: Sink Drain, Stainless Plug, Tap and holes  
 Gross weight: 42kg



Length: 1471  
 Width: 400  
 Height: 300

# UTE CANOPY

Looking for a canopy that provides the perfect fit for your dual cab ute? We will manufacture your heavy-duty 2.5mm 5050 flatalloy dual cab canopy at Kindle, incorporating any custom options so that you can be assured of a high-quality product and finish.



## Aluminium flat plate

Size:	Package size:
1800*1800*860mm	1800*1800*860mm
2100*1800*860mm	2100*1800*860mm
2400*1800*860mm	2400*1800*860mm
GW: 250 kg	
Package: bubble pack	
Thickness: 2.5mm	
Surface treatment: powder coating	



## Aluminium checker plate

Size:	Package size:
1800*1800*860mm	1800*1800*860mm
2100*1800*860mm	2100*1800*860mm
2400*1800*860mm	2400*1800*860mm
GW: 250 kg	
Package: bubble pack	
Thickness: 2.5mm	
Surface treatment: Non	



## Aluminium flat plate

Size:	Package size:
1800*1800*860mm	1800*1800*860mm
2100*1800*860mm	2100*1800*860mm
2400*1800*860mm	2400*1800*860mm
GW: 250 kg	
Package: bubble pack	
Thickness: 2.5mm	
Surface treatment: Non	



## Aluminium flat plate

Size: 2996*2203*1174mm
GW: 300kg
Package: bubble pack
Thickness: 2.5mm
Surface treatment: Powder coating
Accessories: removed ladder, kitchen cabinet set, bed bracket and bulk parts, mattress, water tank, supporting legs

# TOOLBOX

The Kindle Box for compact trucks and rv provides protection for your tools and equipment from the elements and break-ins. The fully-welded aluminum construction and rubber weather seal protect your items from inclement weather. The easy-to-use, lockable push buttons and fully welded loop strikers help resist break-ins. Can attaches the truck box to the truck bed and rv easily.



## KP-TK-01

Material: aluminium checker plate  
GW: 120 kg  
Package: bubble pack  
Thickness: 2.5mm  
Package size: 1200\*600\*600mm  
Surface treatment: raw material



Length:1200  
Width:600  
Height:600



## KP-TK-02

Material: aluminium checker plate  
GW: 100 kg  
Package: bubble pack  
Thickness: 2.5mm  
Package size: 1760\*600\*600mm  
Surface treatment: raw material



Length:1760  
Width:600  
Height:600



## KP-TK-03

Material: aluminium checker plate  
GW: 150 kg  
Package: bubble pack  
Thickness: 2.5mm  
Package size: 1400\*500\*700mm  
Surface treatment: raw material



Length:1400  
Width:500  
Height:700



## KP-TK-04

Material: aluminium checker plate  
GW: 200 kg  
Package: bubble pack  
Thickness: 2.5mm  
Package size: 2500\*650\*550mm  
Surface treatment: raw material



Length:2500  
Width:650  
Height:550



## KP-TK-05

Material: aluminium checker plate  
GW: 135 kg  
Package: bubble pack  
Thickness: 2.5mm  
Package size: 1800\*800\*650mm  
Surface treatment: powder coating



Length:1800  
Width:800  
Height:650



# SLIDE OUT DRAWER

Heavy-duty storage keeps bed space open and supplies organized. This unit can be mounted inside the rear of the vehicle to provide easy access to large tools and supplies while leaving floor space open.



## K- -01

Material: aluminium flat plate  
Size: 1500mm x 750mm x 170mm  
1700mm x 750mm x 170mm  
2100mm x 750mm x 170mm  
GW: 30 kg  
Package: bubble pack  
Thickness: 2.5mm  
Lock: T-handle lock  
Surface treatment:raw



Length:1000  
Width:820  
Height:390



## K- -03

Material: aluminium checker plate  
Size: 1800\*1800\*400mm  
GW: 75 kg  
Package: bubble pack  
Thickness: 2.5mm  
Feature :2 drawers  
Surface treatment:raw



Length:1800  
Width:1800  
Height:400

# UNDER TRAY TOOLBOX

Under body toolboxes are a great accessory to fit on any tray back ute body. They are the ideal storage area for ropes, straps, jacks or tools, leaving your tray and your cabin uncluttered. It's perfect for both professional tradesman and the DIY enthusiast.

## K- -02

Material: aluminium checker plate  
Size: 1000\*820\*390mm  
GW: 55 kg  
Package: bubble pack  
Thickness: 2.5mm  
Feature :2 drawers  
Surface treatment:raw



Length:1000  
Width:820  
Height:390



## under tray toolbox

Material: aluminium checker plate  
Size: 750\*210-260\*490-290mm  
GW: 75 kg  
Package: bubble pack  
Thickness: 2.5mm  
Feature :2 drawers  
Surface treatment:raw


# REFRIGERATOR DRAWER

## K- -01

Fit For Front Folding camper trailers  
Tray Dimension: 710x430x90 mm  
G.W. 6.5kg  
1.5mm thickness galvanized steel with  
black powder coated



Length:  
Width:  
Height:



## K- -04

Normal Fridge Slide for FRIDGE SLIDE 50L  
Tray Size :750L x 460W x 80H  
Materail Galvanized steel



Length:  
Width:  
Height:

## K- -02

Fit For Rear Folding camper trailers  
Tray Dimension: 799x603x100 mm  
G.W. 10 kg  
1.5mm thickness galvanized steel with  
black powder coated



Length:  
Width:  
Height:




## K- -05

Normal Fridge Slide for FRIDGE SLIDE 80L  
Tray Size :850L x 530W x 80H  
Materail Galvanized steel



Length:  
Width:  
Height:



## K- -06

Fridge slide 50L with cutting board  
Tray Size :750L x 460W x 125mm  
Cutting-board: 5mm thick PC  
Materail Galvanized steel



Length:  
Width:  
Height:



## K- -03

Material : Galvanized steel  
Tray Dimension: fit for 50L fridge  
Materail Galvanized steel and Stainless Steel  
Color Black Powder Coat



Length:  
Width:  
Height:



## K- -07

Fridge slide 80L with cutting board  
Tray Size :850L x 530W x 125mm  
Cutting-board: 5mm thick PC  
Materail Galvanized steel



Length:  
Width:  
Height:



# DOG BOX

Looking for a dog box, but don't know exactly what you want? The kindle dog box is a great way to get started! The kit contains a welded, rigid door frame with lockable stainless steel flush mount slam latches, heavy gauge aluminum corners, two adjustable side vents.




## KP- -05

Material: aluminium checker plate  
GW:54kg  
Package: bubble pack  
Thickness: 2.5mm  
Bays: 2 dogs  
Surface treatment:raw



Length:1800  
Width:694  
Height:686



## KP- -04

Material: aluminium checker plate  
GW: 21 kg  
Package: bubble pack  
Thickness: 2.5mm  
Bays: 2 dogs  
Surface treatment:raw



Length:915  
Width:737  
Height:572



## KP- -05

Material: aluminium checker plate  
GW:56 kg  
Package: bubble pack  
Thickness: 2.5mm  
Bays: 2 dogs  
Surface treatment:raw



Length:915  
Width:737  
Height:572



## KP- -05

Material: aluminium checker plate  
GW:26 kg  
Package: bubble pack  
Thickness: 2.5mm  
Bays: 2 dogs  
Surface treatment:raw



Length:900  
Width:727  
Height:565



## KP- -05

Material: aluminium checker plate  
Size: 1050 x 600 x 820mm  
1780 x 700 x 850mm  
1050 x 1050 x 820mm  
1050 x 600 x 700mm  
GW: 45 kg  
Package: bubble pack  
Thickness: 2.5mm  
Bays: 2 dogs  
Surface treatment:raw

# NETWORK CABINET



## KP-NC-01

### CSE NETWORK CABINET

product information

- Elegance look,profound technical,precise dimension,with modern taste,add value to your projects
- Easy to fix concentrated distribution unit into frame,popular front door made by smoky gray coloy toughened glass.
- Framework using high strength steel with a 800kg weight capacity,wire path on the top and bottom can be closed,and wire holes dimension
- Can be changed as request,optional bottom seat for stable stand,bottom wiring,bottom cold

Ltems	W*D(mm)
47U 2.2m	800*960 800*800 800*600 600*960 600*800 600*600
42U 2.0m	800*900 800*800 800*600 600*960 600*800 600*600
37U 1.8m	800*960 800*800 800*600 600*960 600*800 600*600
32U 1.6m	800*960 800*800 800*600 600*960 600*800 600*600
27U 1.4m	800*960 800*800 800*600 600*960 600*800 600*600
22U 1.2m	800*800 800*600 600*960 600*800 600*600
18U 1.0m	800*600 600*800 600*600
14U 0.8m	600*600



# NETWORK CABINET



## KP-NC-02

### CSB NETWORK CABINET

product information

- Welded structure design, firm and reliable, the static loading capacity 500kg, which is very flexible
- Modular design, easy to assembling, and provide many cabinets connection integration quick solutions
- Professional grounding design, which is more effectively protect the safety of the equipment
- Use the high-quality cold-rolled steel of high strength and high-intensity 5mm thick safety glass materials to process

Ltems	W*D(mm)					
47U 2.2m	800*960	800*800	800*600	600*960	600*800	600*600
42U 2.0m	800*900	800*800	800*600	600*960	600*800	600*600
37U 1.8m	800*960	800*800	800*600	600*960	600*800	600*600
32U 1.6m	800*960	800*800	800*600	600*960	600*800	600*600
27U 1.4m	800*960	800*800	800*600	600*960	600*800	600*600
22U 1.2m	800*800	800*600	600*960	600*800	600*600	
18U 1.0m	800*600	600*800	600*600			
14U 0.8m	600*600					



# NETWORK CABINET




## KP-NC-03

### CFA NETWORK CABINET

product information

- Innovative designs, elegant and exquisite structure, meet the modernized engine room equipment operation requirements. Nine zhe proximate matter as the main framework, structural stability, the static loading capacity greater than 1400kg. Modular design, easy to assembling, which could be through before and after the column under the three-point connection, and cabinet connection fixed. With the high-density honeycomb ventilation cooling holes before and after the cabinet, ventilation efficiency is greater than 70%.

Ltems	W*D(mm)					
47U 2.2m	800*960	800*800	800*600	600*960	600*800	600*600
42U 2.0m	800*900	800*800	800*600	600*960	600*800	600*600
37U 1.8m	800*960	800*800	800*600	600*960	600*800	600*600
32U 1.6m	800*960	800*800	800*600	600*960	600*800	600*600
27U 1.4m	800*960	800*800	800*600	600*960	600*800	600*600
22U 1.2m	800*800	800*600	600*960	600*800	600*600	
18U 1.0m	800*600	600*800	600*600			
14U 0.8m	600*600					



# NETWORK CABINET



## product information

- Innovative designs, elegant and exquisite structure, meet the modernized engine room equipment operation requirements. Nine shelves proximate matter as the main framework, structural stability, the static loading capacity greater than 1400kg. Modular design, easy to assembling, which could be through before and after the column under the three-point connection, and cabinet connection fixed. With the high-density honeycomb ventilation cooling holes before and after the cabinet, ventilation efficiency is greater than 70%.

## KP-NC-04

### Wall Mounted CABINET

MODEL	Width x depth x height	Capacity
KPNC-04-01	600 x 450 x 290 MM	4U
KPNC-04-02	600 x 450 x 370 MM	6U
KPNC-04-03	600 x 450 x 510 MM	9U
KPNC-04-04	600 x 450 x 640 MM	12U
KPNC-04-05	600 x 450 x 770 MM	15U
KPNC-04-06	600 x 450 x 905 MM	18U

## KP-NC-05

### Wall Mounted CABINET

MODEL	Width x depth x height	Capacity
KPNC-05-01	600 x 450 x 290 MM	4U
KPNC-05-02	600 x 450 x 370 MM	6U
KPNC-05-03	600 x 450 x 510 MM	9U
KPNC-05-04	600 x 450 x 640 MM	12U
KPNC-05-05	600 x 450 x 770 MM	15U
KPNC-05-06	600 x 450 x 905 MM	18U

# TOOL CABINET



## KP-TC-01

	Top Chest	Roller Cabinet
Overall size:	660 x 307 x 378 mm	678 x 459 x 702 mm
Steel Thickness:	0.8mm body and 0.6mm drawers	
Lock & key set:	1piece	1piece
Handles:	Red anodized Aluminum	
Drawer Liners:	2.0 mm EVA	2.5 mm EVA
Packaging:	polydag + polyfoam + export carton	
Gross packed weight:	28.6KG	61.8KG
Packed size:	810 x 530 x 460 mm	850 x 620 x 890 mm

## KP-TC-03

	Top Chest	Roller Cabinet
Overall size:	1193 x 460 x 526 mm	1200 x 460 x 1092 mm
Steel Thickness:	1.2mm body and 0.8mm drawers	
Lock & key set:	1piece	1piece
Handles:	Red anodized Aluminum	
Drawer Liners:	2.5 mm EVA	2.5 mm EVA
Packaging:	polydag + polyfoam + export carton	
Gross packed weight:	85KG	135KG
Packed size:	1245 x 500 x 575 mm	1250 x 500 x 1150 mm



## KP-TC-02

	Top Chest	Roller Cabinet
Overall size:	794 x 456 x 543 mm	800 x 460 x 1037 mm
Steel Thickness:	1.2mm body and 0.8mm drawers	
Lock & key set:	1piece	1piece
Handles:	Brushed Aluminum	
Drawer Liners:	2.5 mm EVA	2.5 mm EVA
Packaging:	polydag + polyfoam + export carton	
Gross packed weight:	55KG	85KG
Packed size:	850 x 500 x 600 mm	875 x 500 x 1100 mm

## KP-TC-04

	Top Chest	Roller Cabinet
Overall size:	1493 x 504 x 546 mm	1500 x 510 x 1044 mm
Steel Thickness:	1.2mm body and 0.8mm drawers	
Lock & key set:	1piece	1piece
Handles:	Brushed Aluminum	
Drawer Liners:	2.0 mm EVA	2.5 mm EVA
Packaging:	polydag + polyfoam + export carton	
Gross packed weight:	110KG	165KG
Packed size:	1550 x 500 x 600 mm	1550 x 500 x 1100 mm



# TOOL CABINET



## KP-TC-05

### 5 Drawer Combo Unit Roller and Top Chest

Steel Thickness:1.2mm body and 0.8mm drawers  
Lock & key set:1 piece  
Handles:Brushed Aluminum  
Drawer Liners:2.5mm EVA  
Packaging:polybag + polyfoam + export carton  
Gross packed weight:100KG  
Packed size:710 x 510 x 1320mm



Length:660  
Width:457  
Height:1270



## KP-TC-07

### 17 Drawer Triple Unit Roller, Intermediate and Top Chest

Steel Thickness:1.2mm body and 0.8mm drawers  
Lock & key set:1 piece  
Handles:Brushed Aluminum  
Drawer Liners:2.5mm EVA  
Packaging:polybag + polyfoam + export carton  
Gross packed weight:130KG  
Packed size:738 x 510 x 1725mm



Length:738  
Width:510  
Height:1725



## KP-TC-08

### 13 Drawer Combo Unit Roller and Top Chest

Steel Thickness:1.2mm body and 0.8mm drawers  
Lock & key set:1 piece  
Handles:Brushed Aluminum  
Drawer Liners:2.5mm EVA  
Packaging:polybag + polyfoam + export carton  
Gross packed weight:100KG  
Packed size:710 x 510 x 1320mm



Length:660  
Width:457  
Height:1270



## KP-TC-06

### 10 Drawer Combo Unit Roller and Top Chest

Steel Thickness:1.2mm body and 0.8mm drawers  
Lock & key set:1 piece  
Handles:Brushed Aluminum  
Drawer Liners:2.5mm EVA  
Packaging:polybag + polyfoam + export carton  
Gross packed weight:100KG  
Packed size:710 x 510 x 1320mm



Length:660  
Width:457  
Height:1270



## KP-TC-09

### 13 Drawer Combo Unit Roller and Top Chest

Steel Thickness:1.2mm body and 0.8mm drawers  
Lock & key set:1 piece  
Handles:Brushed Aluminum  
Drawer Liners:2.5mm EVA  
Packaging:polybag + polyfoam + export carton  
Gross packed weight:655KG  
Packed size:2400 x 1430 x 890mm



Length:2300  
Width:1330  
Height:790



## K-TC-05

Specification: KPPC001S  
 WIDTH: 24"  
 LENGTH: 70"  
 DEPTH: 49"  
 LOAD CAPACITY: 250 lbs per drawer/shelf  
 DRAWERS: 7 drawers  
 NET WEIGHT: 280KG

### RACING CART-KPPC001

- 2 Large Storage Compartments with peg board and 1 shelf each
- 4 Heavy-Duty pneumatic tires give you a smooth ride over almost any surface
- Extra deep, high gloss powder coat finish resists scratches
- Rasie and Release drawer handles lock each drawer in place for secure traveling



## 42" CHEST PITBOX

Specification: KPPC003S  
 WIDTH: 20"  
 LENGTH: 43"  
 DEPTH: 35"  
 LOAD CAPACITY: 250 lbs per drawer/shelf  
 DRAWERS: 6 drawers  
 NET WEIGHT: 130KG

### RACING CART-KPPC003S

- Top Chest with a lid.
- Gas Strut Payload: 10kg
- 4 lug wheels hubs
- 6 Inch Pneumatic Tires
- Storage for nitrogen bottles
- Standard colors are red,back blue or white
- Custom color available



## 34" MEDIUM PITBOX

Specification: KPPC002A  
 WIDTH: 30"  
 LENGTH: 60"  
 DEPTH: 50"  
 LOAD CAPACITY: 250 lbs per drawer/shelf  
 DRAWERS: 8 drawers  
 NET WEIGHT: 207KG

### RACING CART-KPPC02A

- Storage compartment with 2 doors on each side with shelf for easy access
- Storage compartment on each side for aerosol cans, etc.
  - Storage for 2 nitrogen bottles
  - Spray on liner covers top surface & nitrogen area
  - 4 lug wheels & hubs
  - Standard colors are red, black, blue or white



## WORKSTATION PITBOX

Specification: KPPC004A  
 WIDTH: 30"  
 LENGTH:60"  
 DEPTH:57"  
 LOAD CAPACITY: 250 lbs per drawer/shelf  
 DRAWERS:8 drawers with 3 Large Storage Compartments  
 NET WEIGHT: 215KG

### RACING CART- KPPC004A

- Storage for aerosol cans, etc. on end
- Storage for 1 nitrogen bottle - Standard Only
  - Spray on liner covers top & nitrogen area
  - Standard colors are red, black, blue or white

# TELEPHONE BOOTH



## KP-PB-01

### Solar System Telephone Booth

- Solar panel system help to save electric and environmental protection
- With Router in the booth, people nearby can enjoy free WIFI
- Laser Cutting Acrylic LOGO shows in a special way
- A4 size aluminium frame and W18.8 x H31.5 inch advertising window

Material: Mild Steel, Acrylic, etc.

Thickness: 1.2MM, 1.5MM, 2.0MM, 2.5MM, 3.0MM, 3.5MM, 5.0MM, 10MM

Surface: Powder Coating Color: Green & White

Extra Accessories: Solar Panel, Battery, LED light tube, Aluminium profile, Router



Length:901.5  
Width:855.5  
Height:2762



## KP-PB-02

Features: classic design, waterproof, anti-rust,

Functions: Phone call / WiFi telephone / decoration / advertisement/office phone box

Application: put on the street, park, garden, etc / put on the office

Size: 900\*900\*2400mm

Main material: 1.2mm cold rolled steel / 1.2mm galvanized steel

Body with 6.0mm tempered glass

Surface treatment: powder coating



Length:900  
Width:900  
Height:2400

# TELEPHONE BOOTH



## KP-PB-03

### DIMENSIONS:

Single Person: 1000x1000x2200 mm

Two-seater: 2200x1200x2200mm

Customized size is welcome

### MATERIALS:

Glass panels: 10mm tempered glass

Main Frame: 1.2mm mild steel with powder coated of customized color

Wall: Metal wall outside with sound insulation felt inside

Table: Electrolytic plate with powder coated

Handle: Stainless steel handle, lock is optional

OTHER ACCESSORIES: LED Light, Ventilation fans, power module



## KP-PB-04

### DIMENSIONS:

Size: 2300x2450x2200mm

Customized size is welcome

### MATERIALS:

Glass panels: 10mm tempered glass

Main Frame: 1.2mm mild steel with powder coated of customized color

Wall: Metal wall outside with sound insulation felt inside

Table: Electrolytic plate with powder coated

Handle: Stainless steel handle, lock is optional

OTHER ACCESSORIES: LED Light, Ventilation fans, power module

# BUS SHELTER



## KP-BS-01

### Common model

- 2 light box both side for Advertising
- LED light tube to save electric and environmental protection
- Side board for bus information
- Silk Screen painting for customized LOGO
- Bench for resting

Material: Mild Steel plate and tube, Tempered Glass, etc.

Thickness:1.2MM, 1.5MM, 2.0MM, 2.5MM, 3.0MM, 3.5MM, 5.0MM, 10MM

Surface:Powder Coating

Color:Grey



mm

Length:4674

Width:1600

Height:3210



## KP-BS-02

### Solar model

- Solar panel system can change angle according to the sun position
- Save electric and environmental protection
- Curve roof with modern design
- 4\*LED light
- 1 light box and 4\*PC board window for advertising

Material: Mild Steel, PC board, etc.

Thickness:1.2MM, 1.5MM, 2.0MM, 2.5MM, 3.0MM, 3.5MM, 5.0MM, 10MM

Surface:Powder Coating

Color:Green & White

Extra Accessories: Solar Panel, Battery, LED light tube, Aluminium profile, Router

Watt: 100W

Volt:18V




mm

Length:5220


Width:2411

Height:2802

# Mask Machine



**SIZE**  
mm  
Length:6500  
Width:3500  
Height:1980



**SIZE**  
mm  
Length:7300  
Width:3500  
Height:1980

## Plane Mask Automatic Production Line(1+1)



Working Voltage	Configuration according to different countries
Processing Efficiency	50 pcs/min ~60 pcs/min
Daily Production Capacity	more than 66,000 pcs in 22 hours
Qualification rate	more than 99% (Except for the insufficient materials and improper operation of employees)
Staffing	1
Delivery Time	20 days

## Plane Mask Automatic Production Line(1+2)

Working Voltage	Configuration according to different countries
Processing Efficiency	90 pcs/min ~100 pcs/min
Daily Production Capacity	more than 118,800 pcs in 22hours
Qualification rate	more than 99% (Except for the insufficient materials and improper operation of employees)
Staffing	1
Delivery Time	20 days



# Mask Machine

Mask Machine Slicing




Length:6200  
Width:1195.5  
Height:1985

Mask arloop welding achine




Length:820  
Width:540  
Height:1430

Edge anding achine



Length:780  
Width:480  
Height:1370



Length:9662  
Width:1400  
Height:1985

## N95 Semi-automatic Mask Machine

Working Voltage	Configuration according to different countries
Processing Efficiency	70 pcs/min ~80 pcs/min
Daily Production Capacity	more then 92,400 pcs in 22 hours
Qualification rate	more then 99% (Except for the insufficient materials and improper operation of employees)
Staffing	3
Delivery Time	30 days

## N95 Full-automatic Mask Machine

Working Voltage	Configuration according to different countries
Processing Efficiency	40 pcs/min ~50 pcs/min
Daily Production Capacity	more then 52,800 pcs in 22 hours
Qualification rate	more then 99% (Except for the insufficient materials and improper operation of employees)
Staffing	1
Delivery Time	40 days